



# BX Series

## Cold Water Pressure Washers

#1 in North America for High-Pressure Cleaning Equipment

### Gasoline / Belt Drive

**100' Hose Reel Kit** (optional) keeps hose of up to 4000 PSI, safely stored and out of the way (shown with reel & mounting hardware)

Five, high-pressure stainless steel nozzles: 0° 15° 25° 40° and detergent nozzle

Reliable **Honda GX** gasoline engine



**Hotsy pumps** carry an 7-year warranty

**All-steel frame** with powder coat paint with front and rear handles for easier lifting

**High-pressure relief valve** protects the machine and user

Heavy-duty **inlet water filter** with removable screen for easy cleaning

Totally enclosed **OSHA-compliant belt guard** reduces noise and vibration

The BX-373539 features a **large chassis frame** (shown left) with flat free tires for easy handling

**Trigger gun control** and high-pressure wand with ergonomic, adjustable side handle

**Downstream detergent injection** allows remote detergent injection

All BX Series models are equipped with **50-ft. high pressure hose**

### FEATURES

- 2.8 to 3.7 GPM / 2000 to 3500 PSI
- Honda GX Gasoline Engine
- Available in small and large chassis frame
- ETL-Certified to UL-1776 safety standards

[www.Hotsy.com](http://www.Hotsy.com)

Nothing Cleans Like a Hotsy!

## BX SERIES Cold Water GASOLINE Models

■ Honda GX gas engines ■ 2.8 to 3.7 GPM @ 2000 to 3500 PSI ■ Aluminum, large or small chassis frames ■ Recoil start

# The Hotsy BX Series: The Right Choice for Tough, Cold-Water Cleaning

### SPECIFICATIONS

### BELT DRIVE

MODEL	GPM	PSI	ENGINE / MODEL	CC's	START	PUMP MODEL	DIMENSIONS	FRAME	HOSE	SHIP WT (lbs)
<b>BX-282039</b>	2.8	2000	Honda GX160	163	RECOIL	HD3030R.1	37"Lx21"Wx24"H	Small Chassis	50'	152
<b>BX-373539</b>	3.7	3500	Honda GX390	389	RECOIL	HM4035R.2	45"Lx26"Wx24"H	Large Chassis	50'	261

### DON'T FORGET THE SOAP!

Hotsy pressure washers clean best when matched with specially formulated Hotsy detergents. Nearly all contain Hotsy's exclusive advanced-formula HCC additives to help prevent scale build-up and to fight corrosion in your equipment. All are highly concentrated long way.



**HOTSY SOLUTION SELECTOR**  
What's the best detergent for your next job? Find out with our solution selector. Scan this QR code or visit [HOTSY.com](http://HOTSY.com)



### SERVICE & REPAIR

Hotsy has more than 175 local dealers in North America, all factory-trained to properly evaluate your high-pressure cleaning needs.

Hotsy has factory-trained service technicians who will provide on-site maintenance for your cleaning equipment. Our techs have most common replacement parts on their service truck, and will quickly have your washer running smoothly.



### OPTIONS FOR BX SERIES

- Large or small chassis 100' Hose Reel Kit  
\* Kit includes hose reel and mounting hardware

### PARTS & ACCESSORIES

Your local Hotsy dealer stocks a number of accessories designed to speed cleaning. The most common accessories are telescoping wands, pivot and non-pivot hose reels, flat surface cleaners and high pressure turbo nozzles.

Hotsy dealers also stock thousands of pressure washer replacement parts such as high pressure hose, trigger guns, high pressure nozzles, pumps, unloaders, filters and wands.



FIND OUT MORE ONLINE: [HOTSY.COM](http://HOTSY.COM)

Distributed by:



Tel: (800) 525-1976 Fax: (888) 880-9631  
www.Hotsy.com email: info@Hotsy.com  
P/N 8.914-198.0 Effective 7/16



Specifications & product descriptions subject to change without notice.  
Hotsy's manufacturing facilities have established and apply a quality and environmental management system to be ISO 9001:2008 and ISO 14001:2001 certified.

A member of KÄRCHER North America ©2016 Hotsy

NOTE: We are constantly improving and updating our products. Consequently, pictures, features & specifications in this brochure may differ slightly from current models. Flow rates & pressure ratings may vary due to variances allowed by manufacturers of our machine components. We meet the CETA testing specs for machine performance at  $\pm 10\%$  and in some cases are tighter within  $\pm 5\%$  of listed specifications.